

Builder Kits, Bends, Tubing & Components

Mild Steel Header Builder Tubing Kits - V10, V8, and V6

Basic Kit						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-MS-1	1 1/2	Mild Steel	16g (.065")	2 1/2	Includes (8) 180 degree, (4) 90 Degree and (4) 45 Degree Bends. 16 BENDS TOTAL! Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits Combine order and save additional 10% on add-ons! (Note for v10 builders: For complex systems you may want to add additional bends to the basic kit)	\$ 348.48
TU-HBK-1625-MS-1	1 5/8	Mild Steel	16g (.065")	2 1/2		\$ 348.48
TU-HBK-1750-MS-1	1 3/4	Mild Steel	16g (.065")	3		\$ 387.20
TU-HBK-1875-MS-1	1 7/8	Mild Steel	16g (.065")	3		\$ 387.20
TU-HBK-2000-MS-1	2	Mild Steel	16g (.065")	3		\$ 425.92
TU-HBK-2250-MS-1	2 1/4	Mild Steel	16g (.065")	3		\$ 445.28
TU-HBK-2500-MS-1	2 1/2	Mild Steel	16g (.065")	4		\$ 464.64

Deluxe Kit						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-MS-2	1 1/2	Mild Steel	16g (.065")	2 1/2	Includes the basic kit with (10) 180 degree, (8) 90 Degree, and (8) 45 Degree bends 26 BENDS TOTAL! Street or Race Mufflers, Cat-Back Exhaust Builder Kits Combine order and save additional 10% on add-ons!	\$ 566.28
TU-HBK-1625-MS-2	1 5/8	Mild Steel	16g (.065")	2 1/2		\$ 566.28
TU-HBK-1750-MS-2	1 3/4	Mild Steel	16g (.065")	3		\$ 629.20
TU-HBK-1875-MS-2	1 7/8	Mild Steel	16g (.065")	3		\$ 629.20
TU-HBK-2000-MS-2	2	Mild Steel	16g (.065")	3		\$ 692.12
TU-HBK-2250-MS-2	2 1/4	Mild Steel	16g (.065")	3		\$ 723.58
TU-HBK-2500-MS-2	2 1/2	Mild Steel	16g (.065")	4		\$ 755.04

* Availability limited.

304 Stainless Steel Header Builder Tubing Kits - V10, V8, and V6

Basic SS Kit						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-SS-1	1 1/2	304 SS	16g (.065")	2 1/2	Includes (8) 180 degree, (4) 90 Degree and (4) 45 Degree Bends - 16 BENDS TOTAL! Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits Combine order and save additional 10% on add-ons! (Note for v10 builders: For complex systems you may want to add additional bends to the basic kit)	\$ 464.64
TU-HBK-1625-SS-1	1 5/8	304 SS	16g (.065")	2 1/2		\$ 464.64
TU-HBK-1750-SS-1	1 3/4	304 SS	16g (.065")	3		\$ 484.00
TU-HBK-1875-SS-1	1 7/8	304 SS	16g (.065")	3		\$ 503.36
TU-HBK-2000-SS-1	2	304 SS	16g (.065")	3		\$ 542.08
TU-HBK-2250-SS-1	2 1/4	304 SS	16g (.065")	3		\$ 677.60
TU-HBK-2500-SS-1	2 1/2	304 SS	16g (.065")	4		\$ 774.40

Deluxe SS Kit						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-SS-2	1 1/2	304 SS	16g (.065")	2 1/2	Includes the basic kit with (10) 180 degree, (8) 90 Degree, and (8) 45 Degree bends 26 BENDS TOTAL! Street or Race Mufflers, Cat-Back Exhaust Builder Kits Combine order and save additional 10% on add-ons!	\$ 755.04
TU-HBK-1625-SS-2	1 5/8	304 SS	16g (.065")	2 1/2		\$ 755.04
TU-HBK-1750-SS-2	1 3/4	304 SS	16g (.065")	3		\$ 786.50
TU-HBK-1875-SS-2	1 7/8	304 SS	16g (.065")	3		\$ 817.96
TU-HBK-2000-SS-2	2	304 SS	16g (.065")	3		\$ 880.88
TU-HBK-2250-SS-2	2 1/4	304 SS	16g (.065")	3		\$ 1,101.10
TU-HBK-2500-SS-2	2 1/2	304 SS	16g (.065")	4		\$ 1,258.40

* Availability limited.

DUAL TURBO Header Builder Tubing Kits - V10, V8, and V6

Mild Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-DTHBK-1625-MS-B	1 5/8	Mild Steel	16g (.065")	2 1/2	Includes (8) 180 degree U-Bends Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits (Complex systems/V10 you may want to add additional bends)	\$ 174.24
TU-DTHBK-1750-MS-B	1 3/4	Mild Steel	16g (.065")	3		\$ 193.60
TU-DTHBK-1875-MS-B	1 7/8	Mild Steel	16g (.065")	3		\$ 193.60
TU-DTHBK-2000-MS-B	2	Mild Steel	16g (.065")	3		\$ 212.96

304 Stainless Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-DTHBK-1625-SS-B	1 5/8	304 SS	16g (.065")	2 1/2	Includes (8) 180 degree U-Bends Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits (Complex systems/V10 you may want to add additional bends)	\$ 232.32
TU-DTHBK-1750-SS-B	1 3/4	304 SS	16g (.065")	3		\$ 242.00
TU-DTHBK-1875-SS-B	1 7/8	304 SS	16g (.065")	3		\$ 251.68
TU-DTHBK-2000-SS-B	2	304 SS	16g (.065")	3		\$ 271.04

Inline 4 Header Builder Tubing Kits



Mild Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-4HBK-1500-MS	1 1/2	Mild Steel	16g (.065")	2 1/2	Includes (4) 180 degree, (2) 90 Degree and (2) 45 Degree bends Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits	\$ 192.69
TU-4HBK-1625-MS	1 5/8	Mild Steel	16g (.065")	2 1/2		\$ 192.69
TU-4HBK-1750-MS	1 3/4	Mild Steel	16g (.065")	3		\$ 212.05
TU-4HBK-1875-MS	1 7/8	Mild Steel	16g (.065")	3		\$ 217.76

304 Stainless Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-4HBK-1500-SS	1 1/2	304 SS	16g (.065")	2 1/2	Includes (4) 180 degree, (2) 90 Degree and (2) 45 Degree bends Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits	\$ 232.32
TU-4HBK-1625-SS	1 5/8	304 SS	16g (.065")	2 1/2		\$ 232.32
TU-4HBK-1750-SS	1 3/4	304 SS	16g (.065")	3		\$ 242.00
TU-4HBK-1875-SS	1 7/8	304 SS	16g (.065")	3		\$ 251.68

<SCROLL DOWN FOR INDIVIDUAL BENDS>

Individual Bends, Tubing, and Accessories

180 Degree Mandrel U-Bends						
16 gauge Mild Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-UB16MS-125-250	1 1/4	16g	4" x 4"	2 1/2		\$ 19.36
TU-UB16MS-138-250	1 3/8	16g	4" x 4"	2 1/2		\$ 19.36
TU-UB16MS-150-250	1 1/2	16g	4" x 4"	2 1/2		\$ 21.78
TU-UB16MS-163-250	1 5/8	16g	4" x 4"	2 1/2		\$ 21.78
TU-UB16MS-175-300	1 3/4	16g	4" x 4"	3		\$ 24.20
TU-UB16MS-188-300	1 7/8	16g	4" x 4"	3		\$ 24.20
TU-UB16MS-200-300	2	16g	4" x 4"	3		\$ 26.62
TU-UB16MS-225-300	2 1/4	16g	4" x 4"	3		\$ 27.83
TU-UB16MS-250-400	2 1/2	16g	4" x 4"	4		\$ 29.04
16 gauge 304 Stainless Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-UB16SS-125-250	1 1/4	16g	4" x 4"	2 1/2		\$ 26.62
TU-UB16SS-138-250	1 3/8	16g	4" x 4"	2 1/2		\$ 26.62
TU-UB16SS-150-250	1 1/2	16g	4" x 4"	2 1/2		\$ 29.04
TU-UB16SS-163-250	1 5/8	16g	4" x 4"	2 1/2		\$ 29.04
TU-UB16SS-175-300	1 3/4	16g	4" x 4"	3		\$ 30.25
TU-UB16SS-188-300	1 7/8	16g	4" x 4"	3		\$ 31.46
TU-UB16SS-200-300	2	16g	4" x 4"	3		\$ 33.88
TU-UB16SS-225-300	2 1/4	16g	4" x 4"	3		\$ 42.35
TU-UB16SS-250-400	2 1/2	16g	4" x 4"	4		\$ 48.40
* Availability limited.		Leg Length +/- .5"				

180 Degree U-Bend Cutting Fixtures						
Make consistent cuts across the tangent to ease fabrication! Marrked at 10 degree increments as well as major markings at 45 and 90 degrees. REUSABLE! Mix-and-match: Buy 4 different sizes for only \$90 - save \$20 off individual prices.						
						
Part Number	Tube OD"			Centerline Radius	Description	Retail
TO-CF-1250-250	1 1/4			2 1/2	Fixtures can accommodate bends slightly +/- 180 degrees. Bends beyond tolerance can usually be adjusted to fit fixture. Maximum leg length of fixture is 6.25" beyond tangent. Great for re-using scraps and cut-offs!	\$33.28
TO-CF-1375-250	1 3/8			2 1/2		\$33.28
TO-CF-1500-250	1 1/2			2 1/2		\$33.28
TO-CF-1625-250	1 5/8			2 1/2		\$33.28
TO-CF-1750-250	1 3/4			2 1/2		\$33.28
TO-CF-1750-300	1 3/4			3		\$33.28
TO-CF-1875-300	1 7/8			3		\$33.28
TO-CF-2000-300	2			3		\$33.28
TO-CF-2125-300	2 1/8			3		\$33.28
TO-CF-2250-300	2 1/4			3		\$33.28
TO-CF-2500-400	2 1/2			4		\$33.28

SCROLL DOWN FOR MORE INDIVIDUAL MANDREL BENDS

90 Degree Mandrel Bends

16 gauge Mild Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length A/B	Centerline Radius "	Description	Retail
TU-9016MS-125-250	1 1/4	16g	4" x 9"	2 1/2		\$ 19.36
TU-9016MS-138-250	1 3/8	16g	4" x 9"	2 1/2		\$ 19.36
TU-9016MS-150-250	1 1/2	16g	4" x 9"	2 1/2		\$ 21.78
TU-9016MS-163-250	1 5/8	16g	4" x 9"	2 1/2		\$ 21.78
TU-9016MS-175-300	1 3/4	16g	4" x 9"	3		\$ 24.20
TU-9016MS-188-300	1 7/8	16g	4" x 9"	3		\$ 24.20
TU-9016MS-200-300	2	16g	4" x 9"	3		\$ 26.62
TU-9016MS-225-300	2 1/4	16g	4" x 10"	3		\$ 27.83
TU-9016MS-250-375	2 1/2	16g	4" x 10"	4		\$ 29.04

16 gauge 304 Stainless Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-9016SS-125-250	1 1/4	16g	4" x 9"	2 1/2		\$ 26.62
TU-9016SS-138-250	1 3/8	16g	4" x 9"	2 1/2		\$ 26.62
TU-9016SS-150-250	1 1/2	16g	4" x 9"	2 1/2		\$ 29.04
TU-9016SS-163-250	1 5/8	16g	4" x 9"	2 1/2		\$ 29.04
TU-9016SS-175-300	1 3/4	16g	4" x 9"	3		\$ 30.25
TU-9016SS-188-300	1 7/8	16g	4" x 9"	3		\$ 31.46
TU-9016SS-200-300	2	16g	4" x 9"	3		\$ 33.88
TU-9016SS-225-300	2 1/4	16g	4" x 10"	3		\$ 42.35
TU-9016SS-250-400	2 1/2	16g	4" x 10"	4		\$ 48.40

* Availability limited. Leg Length +/- 1"

45 Degree Mandrel Bends

16 gauge Mild Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-4516MS-125-250	1 1/4	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 19.36
TU-4516MS-138-250	1 3/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 19.36
TU-4516MS-150-250	1 1/2	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 21.78
TU-4516MS-163-250	1 5/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 21.78
TU-4516MS-175-300	1 3/4	16g	4" x 10"	3	NEW: One 4" leg and one extra-long leg	\$ 24.20
TU-4516MS-188-300	1 7/8	16g	4" x 11"	3	NEW: One 4" leg and one extra-long leg	\$ 24.20
TU-4516MS-200-300	2	16g	4" x 11"	3	NEW: One 4" leg and one extra-long leg	\$ 26.62
TU-4516MS-225-300	2 1/4	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 27.83
TU-4516MS-250-400	2 1/2	16g	4" x 12"	4	NEW: One 4" leg and one extra-long leg	\$ 29.04

16 gauge 304 Stainless Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-4516SS-125-250	1 1/4	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 26.62
TU-4516SS-138-250	1 3/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 26.62
TU-4516SS-150-250	1 1/2	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 29.04
TU-4516SS-163-250	1 5/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 29.04
TU-4516SS-175-300	1 3/4	16g	4" x 10"	3	NEW: One 4" leg and one extra-long leg	\$ 30.25
TU-4516SS-188-300	1 7/8	16g	4" x 11"	3	NEW: One 4" leg and one extra-long leg	\$ 31.46
TU-4516SS-200-300	2	16g	4" x 11"	3	NEW: One 4" leg and one extra-long leg	\$ 33.88
TU-4516SS-225-300	2 1/4	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 42.35
TU-4516SS-250-400	2 1/2	16g	4" x 12"	4	NEW: One 4" leg and one extra-long leg	\$ 48.40

* Availability limited. Leg Length +/- 1"

18 Degree Mandrel Bends

16 gauge Mild Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-1816MS-125-250	1 1/4	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 19.36
TU-1816MS-138-250	1 3/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 19.36
TU-1816MS-150-250	1 1/2	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 21.78
TU-1816MS-163-250	1 5/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 21.78
TU-1816MS-175-300	1 3/4	16g	4" x 10"	3	NEW: One 4" leg and one extra-long leg	\$ 24.20
TU-1816MS-200-300	2	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 26.62
TU-1816MS-225-300	2 1/4	16g	4" x 14"	3	NEW: One 4" leg and one extra-long leg	\$ 27.83
TU-1816MS-250-400	2 1/2	16g	4" x 14"	4	NEW: One 4" leg and one extra-long leg	\$ 29.04

16 gauge 304 Stainless Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-1816SS-125-250	1 1/4	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 26.62
TU-1816SS-138-250	1 3/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 26.62
TU-1816SS-150-250	1 1/2	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 29.04
TU-1816SS-163-250	1 5/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 29.04
TU-1816SS-175-300	1 3/4	16g	4" x 10"	3	NEW: One 4" leg and one extra-long leg	\$ 30.25
TU-1816SS-188-300	1 7/8	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 31.46
TU-1816SS-200-300	2	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 33.88
TU-1816SS-225-300	2 1/4	16g	4" x 14"	3	NEW: One 4" leg and one extra-long leg	\$ 42.35
TU-1816SS-250-400	2 1/2	16g	4" x 14"	4	NEW: One 4" leg and one extra-long leg	\$ 48.40

* Availability limited. Leg Length +/- 1"

SCROLL DOWN FOR STRAIGHT TUBING

STRAIGHT TUBING 16 GAUGE

16 gauge Mild Steel						
Part Number	Tubing OD"	Length	Material	Wall Thickness	Description	Retail
TU-ST16MS-1000	1	2 foot	MS	16g	For general fabrication	\$ 17.72
TU-ST16MS-1250	1.25	2 foot	MS	16g	For general fabrication	\$ 17.72
TU-ST16MS-1375	1.375	2 foot	MS	16g	For general fabrication	\$ 17.72
TU-ST16MS-1500	1.5	2 foot	MS	16g	For general fabrication	\$ 18.45
TU-ST16MS-1625	1.625	2 foot	MS	16g	For general fabrication	\$ 18.45
TU-ST16MS-1750	1.75	2 foot	MS	16g	For general fabrication	\$ 18.45
TU-ST16MS-1875	1.875	2 foot	MS	16g	For general fabrication	\$ 24.16
TU-ST16MS-2000	2	2 foot	MS	16g	For general fabrication	\$ 24.16
TU-ST16MS-2250	2.25	2 foot	MS	16g	For general fabrication	\$ 24.16
TU-ST16MS-2500	2.5	2 foot	MS	16g	For general fabrication	\$ 25.77
TU-ST16MS-3000	3	2 foot	MS	16g	For general fabrication	\$ 27.38

16 gauge 304 Stainless Steel						
Part Number	Tubing OD"	Length	Material	Wall Thickness	Description	Retail
TU-ST16SS-1000	1	2 foot	SS	16g	For general fabrication	\$ 32.21
TU-ST16SS-1250	1.25	2 foot	SS	16g	For general fabrication	\$ 32.21
TU-ST16SS-1375	1.375	2 foot	SS	16g	For general fabrication	\$ 32.21
TU-ST16SS-1500	1.5	2 foot	SS	16g	For general fabrication	\$ 32.21
TU-ST16SS-1625	1.625	2 foot	SS	16g	For general fabrication	\$ 32.21
TU-ST16SS-1750	1.75	2 foot	SS	16g	For general fabrication	\$ 33.82
TU-ST16SS-1875	1.875	2 foot	SS	16g	For general fabrication	\$ 38.65
TU-ST16SS-2000	2	2 foot	SS	16g	For general fabrication	\$ 38.65
TU-ST16SS-2250	2.25	2 foot	SS	16g	For general fabrication	\$ 41.87
TU-ST16SS-2500	2.5	2 foot	SS	16g	For general fabrication	\$ 45.09
TU-ST16SS-3000	3	2 foot	SS	16g	For general fabrication	\$ 48.32

* Limited Availability

STRAIGHT TUBING 18 GAUGE

18 gauge Mild Steel*						
Part Number	Tubing OD"	Length	Material	Slip fit for	Description	Retail
TU-ST18MS-1250	1.25	1 foot	MS	1.125	Slip-Fit Collector 1.125" primary to 1.25" collector	\$ 8.86
TU-ST18MS-1375	1.375	1 foot	MS	1.25	Slip-Fit Collector 1.25" primary to 1.375" collector	\$ 8.86
TU-ST18MS-1500	1.5	1 foot	MS	1.375	Slip-Fit Collector 1.375" primary to 1.50" collector	\$ 8.86
TU-ST18MS-1625	1.625	1 foot	MS	1.5	Slip-Fit Collector 1.50" primary to 1.625" collector	\$ 8.86
TU-ST18MS-1750	1.75	1 foot	MS	1.625	Slip-Fit Collector 1.625" primary to 1.75" collector	\$ 8.86
TU-ST18MS-1875	1.875	1 foot	MS	1.75	Slip-Fit Collector 1.75" primary to 1.875" collector	\$ 12.08
TU-ST18MS-2000	2	1 foot	MS	1.875	Slip-Fit Collector 1.875" primary to 2.00" collector	\$ 12.08

18 gauge 304 Stainless Steel*						
Part Number	Tubing OD"	Length	Material	Slip fit for	Description	Retail
TU-ST18SS-1250	1.25	1 foot	SS	1.125	Slip-Fit Collector 1.125" primary to 1.25" collector	\$ 16.11
TU-ST18SS-1375	1.375	1 foot	SS	1.25	Slip-Fit Collector 1.25" primary to 1.375" collector	\$ 16.11
TU-ST18SS-1500	1.5	1 foot	SS	1.375	Slip-Fit Collector 1.375" primary to 1.50" collector	\$ 16.11
TU-ST18SS-1625	1.625	1 foot	SS	1.5	Slip-Fit Collector 1.50" primary to 1.625" collector	\$ 16.11
TU-ST18SS-1750	1.75	1 foot	SS	1.625	Slip-Fit Collector 1.625" primary to 1.75" collector	\$ 16.91
TU-ST18SS-1875	1.875	1 foot	SS	1.75	Slip-Fit Collector 1.75" primary to 1.875" collector	\$ 20.50
TU-ST18SS-2000	2	1 foot	SS	1.875	Slip-Fit Collector 1.875" primary to 2.00" collector	\$ 20.50

* Limited Availability

SLIP-FIT COLLECTOR SEGMENTS/COUPLINGS, FOR COLLECTORS OR TUBING

Mild Steel						
Part Number	Part OD"	Length	Material	Fits header diameter	Description	Retail
CN-CLSC-2125-MS	2.125	2"	MS	2"	Use for Slip-Fit Collector 2.00" primary to fit 2.125" collector body	\$ 3.27
CN-CLSC-2250-MS	2.25	2"	MS	2 1/8"	Use for Slip-Fit Collector 2.125" primary to fit 2.25" collector body	\$ 3.27
CN-CLSC-2375-MS	2.375	2"	MS	2 1/4"	Use for Slip-Fit Collector 2.25" primary to fit 2.375" collector body	\$ 3.27
CN-CLSC-2500-MS	2.5	2"	MS	2 3/8"	Use for Slip-Fit Collector 2.375" primary to fit 2.50" collector body	\$ 3.63
CN-CLSC-2625-MS	2.625	2"	MS	2 1/2"	Use for Slip-Fit Collector 2.50" primary to fit 2.625" collector body	\$ 3.63

304 Stainless Steel						
Part Number	Part OD"	Length	Material	Fits header diameter	Description	Retail
CN-CLSC-2125-SS	2.125	2"	SS	2"	Use for Slip-Fit Collector 2.00" primary to fit 2.125" collector body	\$ 5.08
CN-CLSC-2250-SS	2.25	2"	SS	2 1/8"	Use for Slip-Fit Collector 2.125" primary to fit 2.25" collector body	\$ 5.08
CN-CLSC-2375-SS	2.375	2"	SS	2 1/4"	Use for Slip-Fit Collector 2.25" primary to fit 2.375" collector body	\$ 5.08
CN-CLSC-2500-SS	2.5	2"	SS	2 3/8"	Use for Slip-Fit Collector 2.375" primary to fit 2.50" collector body	\$ 5.45
CN-CLSC-2625-SS	2.625	2"	SS	2 1/2"	Use for Slip-Fit Collector 2.50" primary to fit 2.625" collector body	\$ 5.81

THREADED BUNGS

201 Stainless Steel (Can be used with mild steel tubing if you are not chroming)						
Part Number			Material		Description	Retail
TU-O2-SS			SS		Stainless Steel O2 sensor bung (M18 x 1.5 thread)	\$ 19.33
MC-HDRS-O2P-SS			SS		Stainless Steel O2 Sensor Bung PLUG (M18 x 1.5 thread)	\$ 12.10
TU-EGT-SS*			SS		Stainless Steel EGT sensor bung (1/8" NPT)	\$ 19.33

* Limited Availability - Recommended substitute MS with nickel plate

**CALL (714) 828-3580 or (800) 795-5535
FOR WHOLESALE PRICING**