

Motorcycle Exhaust Builder Components



Straight Core Stainless Steel Cone/Reverse Cone Slip-On Mufflers

Brush Finish 304 Stainless Steel. Cone/Reverse Cone, slips over inlet dimension shown. Not designed for street use. Overall Length 12". Universal fitment. Bracket fabrication recommend in addition to use of retainer springs, mounting tabs, or clamps - which are all sold separately.

Inlet/Outlet	Main Cone	Reverse Cone	Description	Part Number	Retail
1.50" ID	1.50"x3.00"x8.50"L	3.00"x1.50"x2.0"L	Straight through w/SS wool wrap perf core	MC-1500-12-SS	\$ 95.00
1.75" ID	1.75"x3.25"x8.50"L	3.25"x1.75"x2.0"L	Straight through w/SS wool wrap perf core	MC-1750-12-SS	\$ 100.00
2.00" ID	2.00"x3.50"x8.50"L	3.50"x2.00"x2.0"L	Straight through w/SS wool wrap perf core	MC-2000-12-SS	\$ 105.00
2.25" ID	2.25"x3.75"x8.50"L	3.75"x2.25"x2.0"L	Straight through w/SS wool wrap perf core	MC-2250-12-SS	\$ 110.00
2.50" ID	2.50"x4.00"x8.50"L	4.00"x2.50"x2.0"L	Straight through w/SS wool wrap perf core	MC-2500-12-SS	\$ 115.00



Muffler Transition Cones

Quickly step up from smaller primary tube to larger muffler inlet. By using a cone to increase diameter better exhaust gas velocity is maintained. 18 gauge Mild Steel. Welding to headpipe is recommended for most secure fit.

Headpipe OD	Muffler ID	Transition Length	Description	Part Number	Retail
1.50"	2.00"	4.0"	1" straight overlap surface on inlet/outlet.	MC-TR150200-MS	\$ 21.14
1.50"	2.25"	5.31"	1" straight overlap surface on inlet/outlet.	MC-TR150225-MS	\$ 21.96
1.625"	2.50"	5.31"	1" straight overlap surface on inlet/outlet.	MC-TR163250-MS	\$ 22.59
1.75"	2.50"	5.31"	1" straight overlap surface on inlet/outlet.	MC-TR175250-MS	\$ 23.04



Max Performance Series SS Cone/Reverse Cone Mufflers

Muffler outlet diameter larger than inlet diameter for higher performance machines. 304 Stainless Steel with brush finish. Straight through perforated core with stainless steel wool wrap. Universal fitment. Inlet can be modified to fit larger diameter headpipes. May require bracket fabrication, couplers, or clamps - which are sold separately.

Inlet (ID)	Outlet	Overall Length	Description	Part Number	Retail
1.375"	1.50"	14.875"	Main Cone 1.375x3.25x12.5, Rev Cone 3.25x1.5x2.38	MC-138-150-SS	\$ 105.00
1.50"	1.75"	14"	Main Cone 1.50x3.25x12, Rev Cone 3.25x1.75x2	MC-150-175-SS	\$ 105.00
1.50"	2.00"	15.6"	Main Cone 1.50x3.5x13.6, Rev Cone 3.5x2x2	MC-150-200-SS	\$ 120.00
1.625"	2.25"	16.4"	Main Cone 1.63x3.75x14.4, Rev Cone 3.75x2.25x2	MC-163-225-SS	\$ 125.00
1.75"	2.50"	17.2"	Main Cone 1.75x4x15.2, Rev Cone 4x2.5x2	MC-175-250-SS	\$ 130.00
2.00"	2.50"	15.6"	Main Cone 2x4x13.6, Rev Cone 4x2.5x2	MC-200-250-SS	\$ 130.00



Mini-Megaphone Muffler

Lightweight and compact megaphone. Great for under footpeg/engine case use. 304 stainless steel construction with brush polish finish. 1.50" permanently installed inner perf core with SS wool wrap for better sound. Can be fabricated for slip-on or weld-on fitment. Inlet can be modified to fit larger diameter headpipes.

Cone	Core Diam	Overall Length	Description	Part Number	Retail
1.625" OD x 3" OD	1.50"	8.50"	Straight through w/SS wool wrap perf core	MC-MEG1530-SS	\$ 75.00



Slash Cut Megaphone Muffler

Modern Sport bike, extreme slash-cut angle outlet style (4" slash overhang!) but with a smaller core for better performance on vintage motors. 304 stainless steel construction with brush polish finish. 1.50" permanently installed inner perf core with SS wool wrap for better sound. Can be fabricated for slip-on or weld-on fitment. Inlet can be modified to fit larger diameter headpipes.

Inlet	Core Diam	Length	Description	Part Number	Retail
1.50" OD	1.50"	14" (at slash peak)	Straight through w/SS wool wrap perf core	MC-SLASH15	\$ 80.00



Stubbie Can Muffler

Radical Street-Fighter Look. 3" OD 304 Stainless steel outer cannister x 5.50" length. Can be clamped or welded to headpipes. All sizes have 2" outlet with a 2" stainless steel wool wrapped perforated core. Select either Bright Polish finish or Brush Finish.

Inlet	Cannister	Overall Length	Description	Part Number	Retail
1.50" ID	3" OD	7"	Select either Bright Polish finish or Brush Finish.	MC-CAN150300	\$ 95.00
1.75" ID	3" OD	7"	Select either Bright Polish finish or Brush Finish.	MC-CAN175300	\$ 95.00
2.00" ID	3" OD	7"	Select either Bright Polish finish or Brush Finish.	MC-CAN200300	\$ 95.00



Ready to Run Stainless Steel "Chopper Cone" Slip-On Muffler

By far, the best made and best appearing Traditional "Trumpet" or "Chopper Cone" on the market - all this for practically the same price! You have to some fabrication for mounting but instead of cheap chrome, these are a long-lasting Bright Polish Finish Gauge 304 Stainless Steel. Slips over 1.75" headpipe. Overall length 20.5". Universal fitment, no brackets included.

Inlet/Outlet	Main Cone	Trumpet	Description	Part Number	Retail
1.75" ID	1.75" x 3" 16.5"	3"x2"x2.625"x4" L	Straight through w/SS wool wrap perf core	MC-CHOPPER	\$ 130.00



Mild Steel Weld-on Reversible Muffler

Perfect finish to a competition megaphone design. Raw finish 20 Gauge Mild Steel outer body with a stainless steel wool wrapper mild steel perf core is ready to be welded in place. The tapered internal perf core is unique in allowing you to choose a free flowing 2.50" inlet with a 3" outlet, or reverse it and use the 3" inlet and 2.50" outlet where additional back pressure is required. Overall length is 9".

Small Diameter	Large Diameter	Body Diameter	Description	Part Number	Retail
2.50"	3"	3.625"	Straight through w/SS wool wrap perf core	MC-2530-RM	\$ 90.00



Retainers, Springs, and Universal Tabs and Brackets

Can be used with either Mild Steel or Stainless Steel Components. All pieces sold individually, normally two tabs are required per application.

Hole Diameter	Width	Length	Description	Part Number	Retail
.330"	.9"	1"	304SS 3-sided wing tab. Use .3125" bolt or spring.	FL-SCB-3W	\$ 4.50
.265"	.8" high	2"	304SS Flat tab connector. Use .25" bolt or spring.	FL-SCB-FT	\$ 3.00
N/A	.5"	1.2"	304SS Revers. flat spring tab. Use large/small spring.	FL-SCB-ST	\$ 3.75
N/A	.5"	1"	304SS Wire spring hook. For large or small springs.	FL-SCB-WSR	\$ 2.00
N/A	.4"	2.75"	304SS Connector Springs.	FL-SCB-SSP	\$ 4.00
.563"w x .313"h	2"	3"	304SS 18g Univers. Mount Bracket, Triangular.	MC-BRKT	\$ 4.25
.685" x 3 holes	1.5"	8.375"	304SS 11g Univers. Hanger Bracket.	MU-HANGER	\$ 16.56
.65" hole for 3/8" bolt	.8"	1.2"	Univers. Hi-Temp "Snapper" M/F Grommet	MU-HANGER-GROM	\$ 4.00
Standard Hose Clamp	.25"	1.65"	304SS 18g Univers. Heat Shield Mount Tab - Large	MC-HSTAB-LG	\$ 2.00
Standard Hose Clamp	.25"	1.1"	304SS 18g Univers. Heat Shield Mount Tab - Small	MC-HSTAB-SM	\$ 1.00



304 Stainless Steel T-Bolt Clamps

Polished stainless steel clamp, cadmium plated t-bolt and high temp nylock nut. Clamp width .75".

Tube Diameter	Description	Part Number	Retail
1.50"	Stainless Steel T-Bolt Clamp	0150T	\$ 6.00
1.75"	Stainless Steel T-Bolt Clamp	0175T	\$ 6.00
1.875"	Stainless Steel T-Bolt Clamp	0188T	\$ 6.00
2"	Stainless Steel T-Bolt Clamp	0200T	\$ 6.00
2.25"	Stainless Steel T-Bolt Clamp	0225T	\$ 6.00
2.5"	Stainless Steel T-Bolt Clamp	0250T	\$ 6.00
3"	Stainless Steel T-Bolt Clamp	0300T	\$ 6.00
3.5"	Stainless Steel T-Bolt Clamp	0350T	\$ 6.00
4"	Stainless Steel T-Bolt Clamp	0400T	\$ 6.00
4.5"	Stainless Steel T-Bolt Clamp	0450T	\$ 6.00