

# Builder Kits, Bends, Tubing & Components

## Mild Steel Header Builder Tubing Kits - V10, V8, and V6

Basic Kit						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-MS-1	1 1/2	Mild Steel	16g (.065")	2 1/2	Includes (8) 180 degree, (4) 90 Degree and (4) 45 Degree Bends. <b>16 BENDS TOTAL!</b> <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> <b>Combine order and save additional 10% on add-ons!</b> (Note for v10 builders: For complex systems you may want to add additional bends to the basic kit)	\$ 418.18
TU-HBK-1625-MS-1	1 5/8	Mild Steel	16g (.065")	2 1/2		\$ 418.18
TU-HBK-1750-MS-1	1 3/4	Mild Steel	16g (.065")	3		\$ 464.64
TU-HBK-1875-MS-1	1 7/8	Mild Steel	16g (.065")	3		\$ 464.64
TU-HBK-2000-MS-1	2	Mild Steel	16g (.065")	3		\$ 511.10
TU-HBK-2250-MS-1	2 1/4	Mild Steel	16g (.065")	3		\$ 534.34
TU-HBK-2500-MS-1	2 1/2	Mild Steel	16g (.065")	4		\$ 557.57
<b>Deluxe Kit</b>						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-MS-2	1 1/2	Mild Steel	16g (.065")	2 1/2	Includes the basic kit with (10) 180 degree, (8) 90 Degree, and (8) 45 Degree bends <b>26 BENDS TOTAL!</b> <i>Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> <b>Combine order and save additional 10% on add-ons!</b>	\$ 679.54
TU-HBK-1625-MS-2	1 5/8	Mild Steel	16g (.065")	2 1/2		\$ 679.54
TU-HBK-1750-MS-2	1 3/4	Mild Steel	16g (.065")	3		\$ 755.04
TU-HBK-1875-MS-2	1 7/8	Mild Steel	16g (.065")	3		\$ 755.04
TU-HBK-2000-MS-2	2	Mild Steel	16g (.065")	3		\$ 830.54
TU-HBK-2250-MS-2	2 1/4	Mild Steel	16g (.065")	3		\$ 868.30
TU-HBK-2500-MS-2	2 1/2	Mild Steel	16g (.065")	4		\$ 906.05
* Availability limited.						

## 304 Stainless Steel Header Builder Tubing Kits - V10, V8, and V6

Basic SS Kit						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-SS-1	1 1/2	304 SS	16g (.065")	2 1/2	Includes (8) 180 degree, (4) 90 Degree and (4) 45 Degree Bends - <b>16 BENDS TOTAL!</b> <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> <b>Combine order and save additional 10% on add-ons!</b> (Note for v10 builders: For complex systems you may want to add additional bends to the basic kit)	\$ 557.57
TU-HBK-1625-SS-1	1 5/8	304 SS	16g (.065")	2 1/2		\$ 557.57
TU-HBK-1750-SS-1	1 3/4	304 SS	16g (.065")	3		\$ 580.80
TU-HBK-1875-SS-1	1 7/8	304 SS	16g (.065")	3		\$ 604.03
TU-HBK-2000-SS-1	2	304 SS	16g (.065")	3		\$ 650.50
TU-HBK-2250-SS-1	2 1/4	304 SS	16g (.065")	3		\$ 813.12
TU-HBK-2500-SS-1	2 1/2	304 SS	16g (.065")	4		\$ 929.28
<b>Deluxe SS Kit</b>						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-HBK-1500-SS-2	1 1/2	304 SS	16g (.065")	2 1/2	Includes the basic kit with (10) 180 degree, (8) 90 Degree, and (8) 45 Degree bends <b>26 BENDS TOTAL!</b> <i>Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> <b>Combine order and save additional 10% on add-ons!</b>	\$ 906.05
TU-HBK-1625-SS-2	1 5/8	304 SS	16g (.065")	2 1/2		\$ 906.05
TU-HBK-1750-SS-2	1 3/4	304 SS	16g (.065")	3		\$ 943.80
TU-HBK-1875-SS-2	1 7/8	304 SS	16g (.065")	3		\$ 981.55
TU-HBK-2000-SS-2	2	304 SS	16g (.065")	3		\$ 1,057.06
TU-HBK-2250-SS-2	2 1/4	304 SS	16g (.065")	3		\$ 1,321.32
TU-HBK-2500-SS-2	2 1/2	304 SS	16g (.065")	4		\$ 1,510.08
* Availability limited.						

## DUAL TURBO Header Builder Tubing Kits - V10, V8, and V6

Mild Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-DTHBK-1625-MS-B	1 5/8	Mild Steel	16g (.065")	2 1/2	Includes (8) 180 degree U-Bends <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> (Complex systems/V10 you may want to add additional bends)	\$ 209.09
TU-DTHBK-1750-MS-B	1 3/4	Mild Steel	16g (.065")	3		\$ 232.32
TU-DTHBK-1875-MS-B	1 7/8	Mild Steel	16g (.065")	3		\$ 232.32
TU-DTHBK-2000-MS-B	2	Mild Steel	16g (.065")	3		\$ 255.55
304 Stainless Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-DTHBK-1625-SS-B	1 5/8	304 SS	16g (.065")	2 1/2	Includes (8) 180 degree U-Bends <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i> (Complex systems/V10 you may want to add additional bends)	\$ 278.78
TU-DTHBK-1750-SS-B	1 3/4	304 SS	16g (.065")	3		\$ 290.40
TU-DTHBK-1875-SS-B	1 7/8	304 SS	16g (.065")	3		\$ 302.02
TU-DTHBK-2000-SS-B	2	304 SS	16g (.065")	3		\$ 325.25



## Inline 4 Header Builder Tubing Kits

Mild Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-4HBK-1500-MS	1 1/2	Mild Steel	16g (.065")	2 1/2	Includes (4) 180 degree, (2) 90 Degree and (2) 45 Degree bends <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i>	\$ 231.23
TU-4HBK-1625-MS	1 5/8	Mild Steel	16g (.065")	2 1/2		\$ 231.23
TU-4HBK-1750-MS	1 3/4	Mild Steel	16g (.065")	3		\$ 254.46
TU-4HBK-1875-MS	1 7/8	Mild Steel	16g (.065")	3		\$ 261.31
304 Stainless Steel						
Part Number	Tubing OD "	Material	Wall Thickness	Centerline Radius	Description	Retail
TU-4HBK-1500-SS	1 1/2	304 SS	16g (.065")	2 1/2	Includes (4) 180 degree, (2) 90 Degree and (2) 45 Degree bends <i>Add ons: Collector Kits, Flanges, Alignment Tool, Street or Race Mufflers, Cat-Back Exhaust Builder Kits</i>	\$ 278.78
TU-4HBK-1625-SS	1 5/8	304 SS	16g (.065")	2 1/2		\$ 278.78
TU-4HBK-1750-SS	1 3/4	304 SS	16g (.065")	3		\$ 290.40
TU-4HBK-1875-SS	1 7/8	304 SS	16g (.065")	3		\$ 302.02

<SCROLL DOWN FOR INDIVIDUAL BENDS>

# Individual Bends, Tubing, and Accessories

180 Degree Mandrel U-Bends						
16 gauge Mild Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-UB16MS-125-250	1 1/4	16g	4" x 4"	2 1/2		\$ 23.23
TU-UB16MS-138-250	1 3/8	16g	4" x 4"	2 1/2		\$ 23.23
TU-UB16MS-150-250	1 1/2	16g	4" x 4"	2 1/2		\$ 26.14
TU-UB16MS-163-250	1 5/8	16g	4" x 4"	2 1/2		\$ 26.14
TU-UB16MS-175-300	1 3/4	16g	4" x 4"	3		\$ 29.04
TU-UB16MS-188-300	1 7/8	16g	4" x 4"	3		\$ 29.04
TU-UB16MS-200-300	2	16g	4" x 4"	3		\$ 31.94
TU-UB16MS-225-300	2 1/4	16g	4" x 4"	3		\$ 33.40
TU-UB16MS-250-400	2 1/2	16g	4" x 4"	4		\$ 34.85
16 gauge 304 Stainless Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-UB16SS-125-250	1 1/4	16g	4" x 4"	2 1/2		\$ 31.94
TU-UB16SS-138-250	1 3/8	16g	4" x 4"	2 1/2		\$ 31.94
TU-UB16SS-150-250	1 1/2	16g	4" x 4"	2 1/2		\$ 34.85
TU-UB16SS-163-250	1 5/8	16g	4" x 4"	2 1/2		\$ 34.85
TU-UB16SS-175-300	1 3/4	16g	4" x 4"	3		\$ 36.30
TU-UB16SS-188-300	1 7/8	16g	4" x 4"	3		\$ 37.75
TU-UB16SS-200-300	2	16g	4" x 4"	3		\$ 40.66
TU-UB16SS-225-300	2 1/4	16g	4" x 4"	3		\$ 50.82
TU-UB16SS-250-400	2 1/2	16g	4" x 4"	4		\$ 58.08
* Availability limited.		Leg Length +/- .5"				

180 Degree U-Bend Cutting Fixtures						
Make consistent cuts across the tangent to ease fabrication! Marked at 10 degree increments as well as major markings at 45 and 90 degrees. REUSABLE! Mix-and-match: Buy 4 different sizes for only \$90 - save \$20 off individual prices.						
						
Part Number	Tube OD"			Centerline Radius	Description	Retail
TO-CF-1250-250	1 1/4			2 1/2	Fixtures can accommodate bends slightly +/- 180 degrees. Bends beyond tolerance can usually be adjusted to fit fixture. Maximum leg length of fixture is 6.25" beyond tangent. Great for re-using scraps and cut-offs!	\$36.60
TO-CF-1375-250	1 3/8			2 1/2		\$36.60
TO-CF-1500-250	1 1/2			2 1/2		\$36.60
TO-CF-1625-250	1 5/8			2 1/2		\$36.60
TO-CF-1750-250	1 3/4			2 1/2		\$36.60
TO-CF-1750-300	1 3/4			3		\$36.60
TO-CF-1875-300	1 7/8			3		\$36.60
TO-CF-2000-300	2			3		\$36.60
TO-CF-2125-300	2 1/8			3		\$36.60
TO-CF-2250-300	2 1/4			3		\$36.60
TO-CF-2500-400	2 1/2			4		\$36.60

**SCROLL DOWN FOR MORE INDIVIDUAL MANDREL BENDS**

### 90 Degree Mandrel Bends

16 gauge Mild Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length A/B	Centerline Radius "	Description	Retail
TU-9016MS-125-250	1 1/4	16g	4" x 9"	2 1/2		\$ 23.23
TU-9016MS-138-250	1 3/8	16g	4" x 9"	2 1/2		\$ 23.23
TU-9016MS-150-250	1 1/2	16g	4" x 9"	2 1/2		\$ 26.14
TU-9016MS-163-250	1 5/8	16g	4" x 9"	2 1/2		\$ 26.14
TU-9016MS-175-300	1 3/4	16g	4" x 9"	3		\$ 29.04
TU-9016MS-188-300	1 7/8	16g	4" x 9"	3		\$ 29.04
TU-9016MS-200-300	2	16g	4" x 9"	3		\$ 31.94
TU-9016MS-225-300	2 1/4	16g	4" x 10"	3		\$ 33.40
TU-9016MS-250-375	2 1/2	16g	4" x 10"	4		\$ 34.85
16 gauge 304 Stainless Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-9016SS-125-250	1 1/4	16g	4" x 9"	2 1/2		\$ 31.94
TU-9016SS-138-250	1 3/8	16g	4" x 9"	2 1/2		\$ 31.94
TU-9016SS-150-250	1 1/2	16g	4" x 9"	2 1/2		\$ 34.85
TU-9016SS-163-250	1 5/8	16g	4" x 9"	2 1/2		\$ 34.85
TU-9016SS-175-300	1 3/4	16g	4" x 9"	3		\$ 36.30
TU-9016SS-188-300	1 7/8	16g	4" x 9"	3		\$ 37.75
TU-9016SS-200-300	2	16g	4" x 9"	3		\$ 40.66
TU-9016SS-225-300	2 1/4	16g	4" x 10"	3		\$ 50.82
TU-9016SS-250-400	2 1/2	16g	4" x 10"	4		\$ 58.08
* Availability limited.			Leg Length +/- 1"			

### 45 Degree Mandrel Bends

16 gauge Mild Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-4516MS-125-250	1 1/4	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 23.23
TU-4516MS-138-250	1 3/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 23.23
TU-4516MS-150-250	1 1/2	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 26.14
TU-4516MS-163-250	1 5/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 26.14
TU-4516MS-175-300	1 3/4	16g	4" x 10"	3	NEW: One 4" leg and one extra-long leg	\$ 29.04
TU-4516MS-188-300	1 7/8	16g	4" x 11"	3	NEW: One 4" leg and one extra-long leg	\$ 29.04
TU-4516MS-200-300	2	16g	4" x 11"	3	NEW: One 4" leg and one extra-long leg	\$ 31.94
TU-4516MS-225-300	2 1/4	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 33.40
TU-4516MS-250-400	2 1/2	16g	4" x 12"	4	NEW: One 4" leg and one extra-long leg	\$ 34.85
16 gauge 304 Stainless Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-4516SS-125-250	1 1/4	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 31.94
TU-4516SS-138-250	1 3/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 31.94
TU-4516SS-150-250	1 1/2	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 34.85
TU-4516SS-163-250	1 5/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 34.85
TU-4516SS-175-300	1 3/4	16g	4" x 10"	3	NEW: One 4" leg and one extra-long leg	\$ 36.30
TU-4516SS-188-300	1 7/8	16g	4" x 11"	3	NEW: One 4" leg and one extra-long leg	\$ 37.75
TU-4516SS-200-300	2	16g	4" x 11"	3	NEW: One 4" leg and one extra-long leg	\$ 40.66
TU-4516SS-225-300	2 1/4	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 50.82
TU-4516SS-250-400	2 1/2	16g	4" x 12"	4	NEW: One 4" leg and one extra-long leg	\$ 58.08
* Availability limited.			Leg Length +/- 1"			

### 18 Degree Mandrel Bends

16 gauge Mild Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-1816MS-125-250	1 1/4	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 23.23
TU-1816MS-138-250	1 3/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 23.23
TU-1816MS-150-250	1 1/2	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 26.14
TU-1816MS-163-250	1 5/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 26.14
TU-1816MS-175-300	1 3/4	16g	4" x 10"	3	NEW: One 4" leg and one extra-long leg	\$ 29.04
TU-1816MS-188-300	1 7/8	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 29.04
TU-1816MS-200-300	2	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 31.94
TU-1816MS-225-300	2 1/4	16g	4" x 14"	3	NEW: One 4" leg and one extra-long leg	\$ 33.40
TU-1816MS-250-400	2 1/2	16g	4" x 14"	4	NEW: One 4" leg and one extra-long leg	\$ 34.85
16 gauge 304 Stainless Steel						
Part Number	Tubing OD	Tubing Wall	Leg Length	Centerline Radius "	Description	Retail
TU-1816SS-125-250	1 1/4	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 31.94
TU-1816SS-138-250	1 3/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 31.94
TU-1816SS-150-250	1 1/2	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 34.85
TU-1816SS-163-250	1 5/8	16g	4" x 10"	2 1/2	NEW: One 4" leg and one extra-long leg	\$ 34.85
TU-1816SS-175-300	1 3/4	16g	4" x 10"	3	NEW: One 4" leg and one extra-long leg	\$ 36.30
TU-1816SS-188-300	1 7/8	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 37.75
TU-1816SS-200-300	2	16g	4" x 12"	3	NEW: One 4" leg and one extra-long leg	\$ 40.66
TU-1816SS-225-300	2 1/4	16g	4" x 14"	3	NEW: One 4" leg and one extra-long leg	\$ 50.82
TU-1816SS-250-400	2 1/2	16g	4" x 14"	4	NEW: One 4" leg and one extra-long leg	\$ 58.08
* Availability limited.			Leg Length +/- 1"			

**SCROLL DOWN FOR STRAIGHT TUBING**

### STRAIGHT TUBING 16 GAUGE

16 gauge Mild Steel						
Part Number	Tubing OD"	Length	Material	Wall Thickness	Description	Retail
TU-ST16MS-1000	1	2 foot	MS	16g	For general fabrication	\$ 21.26
TU-ST16MS-1250	1.25	2 foot	MS	16g	For general fabrication	\$ 21.26
TU-ST16MS-1375	1.375	2 foot	MS	16g	For general fabrication	\$ 21.26
TU-ST16MS-1500	1.5	2 foot	MS	16g	For general fabrication	\$ 22.14
TU-ST16MS-1625	1.625	2 foot	MS	16g	For general fabrication	\$ 22.14
TU-ST16MS-1750	1.75	2 foot	MS	16g	For general fabrication	\$ 22.14
TU-ST16MS-1875	1.875	2 foot	MS	16g	For general fabrication	\$ 28.99
TU-ST16MS-2000	2	2 foot	MS	16g	For general fabrication	\$ 28.99
TU-ST16MS-2250	2.25	2 foot	MS	16g	For general fabrication	\$ 28.99
TU-ST16MS-2500	2.5	2 foot	MS	16g	For general fabrication	\$ 30.92
TU-ST16MS-3000	3	2 foot	MS	16g	For general fabrication	\$ 32.85

16 gauge 304 Stainless Steel						
Part Number	Tubing OD"	Length	Material	Wall Thickness	Description	Retail
TU-ST16SS-1000	1	2 foot	SS	16g	For general fabrication	\$ 38.65
TU-ST16SS-1250	1.25	2 foot	SS	16g	For general fabrication	\$ 38.65
TU-ST16SS-1375	1.375	2 foot	SS	16g	For general fabrication	\$ 38.65
TU-ST16SS-1500	1.5	2 foot	SS	16g	For general fabrication	\$ 38.65
TU-ST16SS-1625	1.625	2 foot	SS	16g	For general fabrication	\$ 38.65
TU-ST16SS-1750	1.75	2 foot	SS	16g	For general fabrication	\$ 40.58
TU-ST16SS-1875	1.875	2 foot	SS	16g	For general fabrication	\$ 46.38
TU-ST16SS-2000	2	2 foot	SS	16g	For general fabrication	\$ 46.38
TU-ST16SS-2250	2.25	2 foot	SS	16g	For general fabrication	\$ 50.25
TU-ST16SS-2500	2.5	2 foot	SS	16g	For general fabrication	\$ 54.11
TU-ST16SS-3000	3	2 foot	SS	16g	For general fabrication	\$ 57.98

\* Limited Availability

### STRAIGHT TUBING 18 GAUGE

18 gauge Mild Steel*						
Part Number	Tubing OD"	Length	Material	Slip fit for	Description	Retail
TU-ST18MS-1250	1.25	1 foot	MS	1.125	Slip-Fit Collector 1.125" primary to 1.25" collector	\$ 10.63
TU-ST18MS-1375	1.375	1 foot	MS	1.25	Slip-Fit Collector 1.25" primary to 1.375" collector	\$ 10.63
TU-ST18MS-1500	1.5	1 foot	MS	1.375	Slip-Fit Collector 1.375" primary to 1.50" collector	\$ 10.63
TU-ST18MS-1625	1.625	1 foot	MS	1.5	Slip-Fit Collector 1.50" primary to 1.625" collector	\$ 10.63
TU-ST18MS-1750	1.75	1 foot	MS	1.625	Slip-Fit Collector 1.625" primary to 1.75" collector	\$ 10.63
TU-ST18MS-1875	1.875	1 foot	MS	1.75	Slip-Fit Collector 1.75" primary to 1.875" collector	\$ 14.49
TU-ST18MS-2000	2	1 foot	MS	1.875	Slip-Fit Collector 1.875" primary to 2.00" collector	\$ 14.49

18 gauge 304 Stainless Steel*						
Part Number	Tubing OD"	Length	Material	Slip fit for	Description	Retail
TU-ST18SS-1250	1.25	1 foot	SS	1.125	Slip-Fit Collector 1.125" primary to 1.25" collector	\$ 19.33
TU-ST18SS-1375	1.375	1 foot	SS	1.25	Slip-Fit Collector 1.25" primary to 1.375" collector	\$ 19.33
TU-ST18SS-1500	1.5	1 foot	SS	1.375	Slip-Fit Collector 1.375" primary to 1.50" collector	\$ 19.33
TU-ST18SS-1625	1.625	1 foot	SS	1.5	Slip-Fit Collector 1.50" primary to 1.625" collector	\$ 19.33
TU-ST18SS-1750	1.75	1 foot	SS	1.625	Slip-Fit Collector 1.625" primary to 1.75" collector	\$ 20.29
TU-ST18SS-1875	1.875	1 foot	SS	1.75	Slip-Fit Collector 1.75" primary to 1.875" collector	\$ 24.60
TU-ST18SS-2000	2	1 foot	SS	1.875	Slip-Fit Collector 1.875" primary to 2.00" collector	\$ 24.60

\* Limited Availability

### SLIP-FIT COLLECTOR SEGMENTS/COUPLINGS, FOR COLLECTORS OR TUBING

Mild Steel						
Part Number	Part OD"	Length	Material	Fits header diameter	Description	Retail
CN-CLSC-2125-MS	2.125	2"	MS	2"	Use for Slip-Fit Collector 2.00" primary to fit 2.125" collector body	\$ 3.92
CN-CLSC-2250-MS	2.25	2"	MS	2 1/8"	Use for Slip-Fit Collector 2.125" primary to fit 2.25" collector body	\$ 3.92
CN-CLSC-2375-MS	2.375	2"	MS	2 1/4"	Use for Slip-Fit Collector 2.25" primary to fit 2.375" collector body	\$ 3.92
CN-CLSC-2500-MS	2.5	2"	MS	2 3/8"	Use for Slip-Fit Collector 2.375" primary to fit 2.50" collector body	\$ 4.36
CN-CLSC-2625-MS	2.625	2"	MS	2 1/2"	Use for Slip-Fit Collector 2.50" primary to fit 2.625" collector body	\$ 4.36

304 Stainless Steel						
Part Number	Part OD"	Length	Material	Fits header diameter	Description	Retail
CN-CLSC-2125-SS	2.125	2"	SS	2"	Use for Slip-Fit Collector 2.00" primary to fit 2.125" collector body	\$ 6.10
CN-CLSC-2250-SS	2.25	2"	SS	2 1/8"	Use for Slip-Fit Collector 2.125" primary to fit 2.25" collector body	\$ 6.10
CN-CLSC-2375-SS	2.375	2"	SS	2 1/4"	Use for Slip-Fit Collector 2.25" primary to fit 2.375" collector body	\$ 6.10
CN-CLSC-2500-SS	2.5	2"	SS	2 3/8"	Use for Slip-Fit Collector 2.375" primary to fit 2.50" collector body	\$ 6.53
CN-CLSC-2625-SS	2.625	2"	SS	2 1/2"	Use for Slip-Fit Collector 2.50" primary to fit 2.625" collector body	\$ 6.97

### THREADED BUNGS

201 Stainless Steel (Can be used with mild steel tubing if you are not chroming)						
Part Number			Material		Description	Retail
TU-O2-SS			SS		Stainless Steel O2 sensor bung - Straight (M18 x 1.5 thread)	\$ 23.20
MC-HDRS-O2-SS			SS		Stainless Steel O2 sensor bung - Angled (M18 x 1.5 thread)	\$ 23.48
MC-HDRS-O2P-SS			SS		Stainless Steel O2 Sensor Bung PLUG (M18 x 1.5 thread)	\$ 15.97

**CALL (714) 828-3580 or (800) 795-5535  
FOR WHOLESALE PRICING**